

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** DEEP FILLER
Substance / mixture mixture
Number 1 39000
UFI 231T-S1KV-N91K-DRXP
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Filler. For professional use only.
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
VAT Reg No CZ25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222
Eye Irrit. 2, H319
STOT SE 3, H336

Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Causes serious eye irritation.

- 2.2. Label elements**

Hazard pictogram**Signal word**

Danger

Hazardous substances

acetone
n-butyl acetate

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Supplemental information

EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH066	Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-019-00-8 CAS: 115-10-6 EC: 204-065-8 Registration number: 01-2119472128-37	dimethyl ether	24,9-50	Flam. Gas 1A, H220 Press. Gas (liquefied gas), H280	2, 7
Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2 Registration number: 01-2119471330-49	acetone	10-20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	7
Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1 Registration number: 01-2119485493-29	n-butyl acetate	10-20	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066	7
Index: 649-202-00-6 CAS: 68476-85-7 EC: 270-704-2	Petroleum gases, liquefied	5-10	Press. Gas, Flam. Gas 1A, H220	6
Index: 606-002-00-3 CAS: 78-93-3 EC: 201-159-0	butanone	1-5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	7
Index: 607-195-00-7 CAS: 108-65-6 EC: 203-603-9	2-methoxy-1-methylethyl acetate	1-5	Flam. Liq. 3, H226	7

DEEP FILLER

 Creation date 12th March 2024
 Revision date Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5	titanium dioxide	1-5	Carc. 2, H351 (inhalation)	3, 4, 5
Index: 601-022-00-9 CAS: 1330-20-7 EC: 215-535-7 Registration number: 01-2119488216-32	xylene (mixture of isomers)	0,3-0,5	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H312+H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Aquatic Chronic 3, H412 Specific concentration limit: ATE Dermal = 1100 mg/kg bw ATE Inhalation (vapor) = 1,5 mg/l ATE Inhalation (dust/mist) = 1,5 mg/l	1, 7
Index: 601-023-00-4 CAS: 100-41-4 EC: 202-849-4	ethylbenzene	<0,2	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Acute Tox. 4, H332 STOT RE 2, H373 Specific concentration limit: ATE Inhalation (vapor) = 1,5 mg/l	7
CAS: 1333-86-4 EC: 215-609-9 Registration number: 01-2119384822-32	carbon black	0,1-0,2	not classified as dangerous	
Index: 602-033-00-1 CAS: 108-90-7 EC: 203-628-5	chlorobenzene	<0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Acute Tox. 4, H332 Aquatic Chronic 2, H411 Specific concentration limit: ATE Inhalation (vapor) = 1,5 mg/l	7
Index: 603-108-00-1 CAS: 78-83-1 EC: 201-148-0 Registration number: 01-2119484609-23	2-methylpropan-1-ol	<0,1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335, H336	
Index: 607-251-00-0 CAS: 70657-70-4 EC: 274-724-2	2-methoxypropyl acetate	<0,1	Flam. Liq. 3, H226 STOT SE 3, H335 Repr. 1B (***), H360D	8

Notes

*** reproductive toxicity: supplementary letters specify whether fetal harm (d) or fertility harm (f) may occur

- Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

- 2 Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)
Press. Gas (Liq.)
Press. Gas (Ref. Liq.)
Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

- 3 Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
- 4 Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

- 5 Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.
- 6 Note K: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply.
- 7 A substance for which exposure limits are set.
- 8 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Unlikely. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

May cause drowsiness or dizziness.

If on skin

not available

If in eyes

Causes serious eye irritation.

If swallowed

not available

DEEP FILLER

Creation date 12th March 2024
Revision date Version 1.0

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Carbon dioxide. Powder. Water mist.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

Pressurised container: May burst if heated. In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. No smoking. Do not inhale aerosols. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Place the spilled product mechanically in the properly closed containers and dispose of it according to the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Do not inhale aerosols. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive (EU) 2019/1831

Substance name (component)	Type	Value	Note
n-butyl acetate (CAS: 123-86-4)	OEL 8 hours	241 mg/m ³	
	OEL 8 hours	50 ppm	
	OEL 15 minutes	723 mg/m ³	
	OEL 15 minutes	150 ppm	

DEEP FILLER

Creation date

12th March 2024

Revision date

Version

1.0

European Union
Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
dimethyl ether (CAS: 115-10-6)	OEL 8 hours	1920 mg/m ³	
	OEL 8 hours	1000 ppm	
acetone (CAS: 67-64-1)	OEL 8 hours	1210 mg/m ³	
	OEL 8 hours	500 ppm	
butanone (CAS: 78-93-3)	OEL 8 hours	600 mg/m ³	
	OEL 8 hours	200 ppm	
	OEL 15 minutes	900 mg/m ³	
	OEL 15 minutes	300 ppm	
2-methoxy-1-methylethyl acetate (CAS: 108-65-6)	OEL 8 hours	275 mg/m ³	Skin
	OEL 8 hours	50 ppm	
	OEL 15 minutes	550 mg/m ³	
	OEL 15 minutes	100 ppm	
xylene (mixture of isomers) (CAS: 1330-20-7)	OEL 8 hours	221 mg/m ³	Skin
	OEL 8 hours	50 ppm	
	OEL 15 minutes	442 mg/m ³	
	OEL 15 minutes	100 ppm	
ethylbenzene (CAS: 100-41-4)	OEL 8 hours	442 mg/m ³	Skin
	OEL 8 hours	100 ppm	
	OEL 15 minutes	884 mg/m ³	
	OEL 15 minutes	200 ppm	

European Union
Commission Directive 2006/15/EC

Substance name (component)	Type	Value	Note
chlorobenzene (CAS: 108-90-7)	OEL 8 hours	23 mg/m ³	
	OEL 8 hours	5 ppm	
	OEL 15 minutes	70 mg/m ³	
	OEL 15 minutes	15 ppm	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Other protection: protective workwear.

DEEP FILLER

Creation date

12th March 2024

Revision date

Version

1.0

Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-methoxy-1-methylethyl acetate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Dermal	LD ₅₀	OECD 402	>2000 mg/kg bw		Rat	M

acetone

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		5800 mg/kg bw		Rabbit	F
Inhalation	LC ₅₀		76 mg/l of air	4 hours	Rat	F

dimethyl ether

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		164000 ppm		Rat	M

ethylbenzene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (vapor)	ATE		1.5 mg/l			

chlorobenzene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		2000-4000 mg/kg bw		Rat	
Inhalation (vapor)	ATE		1.5 mg/l			

xylene (mixture of isomers)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Dermal	LD ₅₀		12126 mg/kg bw		Rabbit	M
Dermal	ATE		1100 mg/kg bw			
Inhalation (vapor)	ATE		1.5 mg/l			
Inhalation (dust/mist)	ATE		1.5 mg/l			

Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

Causes serious eye irritation. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

2-methoxypropyl acetate					
Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation			Irritating		

2-methylpropan-1-ol					
Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation			Irritating, Drowsiness, Dizziness		

acetone					
Route of exposure	Parameter	Value	Result	Species	Sex
			Drowsiness, Dizziness		

butanone					
Route of exposure	Parameter	Value	Result	Species	Sex
			Drowsiness, Dizziness		

n-butyl acetate					
Route of exposure	Parameter	Value	Result	Species	Sex
			Drowsiness, Dizziness		

xylene (mixture of isomers)					
Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation			Irritating		

Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-methoxy-1-methylethyl acetate							
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral	NOAEL	OECD 410	>1000 mg/kg bw	90 days		Rabbit	

DEEP FILLER

Creation date

12th March 2024

Revision date

Version

1.0

2-methylpropan-1-ol

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral	NOAEL	OECD 408	>1450 mg/kg bw	90 days		Rat	

carbon black

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Inhalation	LOAEC		0.0071 mg/l of air	90 days		Rat	M
Oral	NOAEL	OECD 408	>1000 mg/kg bw	90 days		Rat	
Inhalation	NOAEC		0.0011 mg/l of air	90 days		Rat	M

ethylbenzene

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
					Causes damage		

Petroleum gases, liquefied

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Inhalation (gases)	LOAEC	OECD 422	12000 ppm	90 days		Rat	

xylene (mixture of isomers)

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral	LOAEL	OECD 408	150 mg/kg bw	90 days	Causes damage	Rat	M

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information
12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity
2-methoxy-1-methylethyl acetate

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	>100 mg/l		Fish (<i>Oryzias latipes</i>)	
EC ₅₀	>500 mg/l		Daphnia (<i>Daphnia magna</i>)	
EC ₅₀	>1000 mg/l	72 hours	Algae (<i>Pseudokirchneriella subcapitata</i>)	

DEEP FILLER

Creation date

12th March 2024

Revision date

Version

1.0

2-methylpropan-1-ol				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	1430 mg/l		Fish (Pimephales promelas)	
EC ₅₀	1100 mg/l		Daphnia (Daphnia pulex)	

butanone				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	2993 mg/l		Fish (Pimephales promelas)	
EC ₅₀	308 mg/l		Daphnia (Daphnia magna)	
EC ₅₀	1972 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
EC ₅₀	2029 mg/l	96 hours	Algae (Pseudokirchneriella subcapitata)	

carbon black				
Parameter	Value	Exposure time	Species	Environment
EC ₅₀	>10000 mg/l	72 hours	Algae (Desmodesmus subspicatus)	
EC ₅₀	>10000 mg/l	72 hours	Algae	

dimethyl ether				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	>4.1 g/l		Fish (Poecilia reticulata)	
EC ₅₀	>4.4 g/l		Daphnia (Daphnia magna)	
EC ₅₀	154917 mg/l	96 hours	Algae	

chlorobenzene				
Parameter	Value	Exposure time	Species	Environment
EC ₅₀	26 mg/l		Daphnia (Daphnia magna)	

n-butyl acetate				
Parameter	Value	Exposure time	Species	Environment
EC ₅₀	32 mg/l		Other aquatic organisms (Artemia salina)	
EC ₅₀	674.7 mg/l	72 hours	Algae (Desmodesmus subspicatus)	

xylene (mixture of isomers)				
Parameter	Value	Exposure time	Species	Environment
EC ₅₀	>3.4 mg/l		Daphnia (Ceriodaphnia dubia)	

DEEP FILLER

Creation date

12th March 2024

Revision date

Version

1.0

Chronic toxicity
2-methoxy-1-methylethyl acetate

Parameter	Value	Exposure time	Species	Environment
NOEC	≥100 mg/l	21 days	Daphnia (Daphnia magna)	
NOEC	47.5 mg/l	14 days	Fish (Oryzias latipes)	

2-methylpropan-1-ol

Parameter	Value	Exposure time	Species	Environment
NOEC	20 mg/l	21 days	Daphnia (Daphnia magna)	

acetone

Parameter	Value	Exposure time	Species	Environment
LOEC	>79 mg/l	21 days	Daphnia (Daphnia magna)	
NOEC	≥79 mg/l	21 days	Daphnia (Daphnia magna)	

chlorobenzene

Parameter	Value	Exposure time	Species	Environment
NOEC	4.8 mg/l	28 days	Fish (Danio rerio)	

xylene (mixture of isomers)

Parameter	Value	Exposure time	Species	Environment
LOEC	3.16 mg/l	21 days	Daphnia (Daphnia magna)	
NOEC	>1.3 mg/l	56 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations
13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

PROPERTIES OF WASTE WHICH RENDER IT HAZARDOUS: HP3 "Flammable". HP7 "Carcinogenic".

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.
Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

- 14.1. UN number or ID number**
UN 1950
- 14.2. UN proper shipping name**
AEROSOLS
- 14.3. Transport hazard class(es)**
2 Gases
- 14.4. Packing group**
not relevant
- 14.5. Environmental hazards**
No
- 14.6. Special precautions for user**
Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments**
not relevant


Additional information

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



Road transport - ADR

Special provisions 190, 327, 344, 625

Limited quantities 1 L

Excepted quantities E0

Packaging

Packing instructions P207, LP200

Special packing provisions PP87, RR6, L2

Mixed packing provisions MP9

Transport category 2

Tunnel restriction code (D)

Special provision for

packages V14

loading, unloading and handling CV9, CV12

operation S2

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

Railway transport - RID

Special provisions	190, 327, 344, 625
Limited quantities	1I
Excepted quantities	E0

Packaging

Packing instructions	P207, LP200
Special packing provisions	PP87, RR6, L2
Mixed packing provisions	MP9
Transport category	2

Special provision for

packages	W14
loading, unloading and handling	CW9, CW12
Express goods	CE2

Air transport - ICAO/IATA

Packaging instructions for limited amount	Y203
Packaging instructions passenger	203
Cargo packaging instructions	203

Marine transport - IMDG

EmS (emergency plan)	F-D, S-U
----------------------	----------

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Product contains reportable explosives precursors: Reporting of suspicious transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

DEEP FILLER

Creation date 12th March 2024
Revision date Version 1.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-methoxypropyl acetate

Restriction	Conditions of restriction
30	<p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none"> – as substances, – as constituents of other substances, or, – in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: <ul style="list-style-type: none"> – either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, – the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>“Restricted to professional users”.</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none"> (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: <ul style="list-style-type: none"> – motor fuels which are covered by Directive 98/70/EC, – mineral oil products intended for use as fuel in mobile or fixed combustion plants, – fuels sold in closed systems (e.g. liquid gas bottles); (d) artists’ paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. (f) devices covered by Regulation (EU) 2017/745.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer if inhaled.
H360D	May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H312+H332	Harmful in contact with skin or if inhaled.

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

A list of additional standard phrases used in the safety data sheet

EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH066	Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Press. Gas (Comp.)	Gas under pressure: compressed gas
Press. Gas (Diss.)	Gas under pressure: dissolved gas

DEEP FILLER

Creation date	12th March 2024	Version	1.0
Revision date			

Press. Gas (Liq.)	Gas under pressure: liquefied gas
Press. Gas (Ref. Liq.)	Gas under pressure: refrigerated liquefied gas
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aerosol	Aerosol
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Carc.	Carcinogenicity
Eye Dam.	Serious eye damage
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.